## Partition-Mounted Combination Units



ombination toilet paper and seat cover dispensers with sanitary disposals meet barrier-free accessibility guidelines. The toilet dispensers accommodate  $5^{1}/4^{"}$  (135 mm) diameter, 1800 sheet rolls with theft-resistant spindles included. Partition-mounted units serving two compartments have adjustable flanges accommodating partitions from  $^{1}/_{2}^{"}$  to  $3^{3}/_{4}^{"}$  thick.

#### 5360

TECH DATA

#### **Seat Cover & TP Dispenser**

For end wall installation. Dispenses two rolls of toilet paper and 1,000 paper toilet seat covers.

Wall Opening: 16" x 29  $\frac{1}{4}$ " x 4  $\frac{1}{4}$ " (405 x 745 x 110mm) Suggested Mounting Height: 30" from bottom of unit to floor;

Barrier-Free, 15" (760 & 380mm)

Also Available:

#### 5360-SM Surface Mounted

Similar to 5360, but with stainless steel collar for surface mounting. Suggested Mounting Height:



#### 5362 TECH DATA

#### Seat Cover & TP Dispenser, Dual Access

Mounts centered through partition. Dispenses four rolls of toilet paper and 1,000 paper toilet seat covers.


**Partition Opening:** 15 <sup>1</sup>/<sub>2</sub>" X 28 <sup>7</sup>/<sub>8</sub>" (395 x 735mm)

Suggested Mounting Height: 30" from bottom of unit to floor (760mm)

Also Available:

#### 5362-HC Dual-Access HC

Similar to 5362, but one side mounts flush to partition of barrier-free side to allow for grab bar. Both sides are usable but serviced from one side.



#### 5364

TECH DATA

#### Seat Cover & TP Dispenser with Sanitary Disposal


For end wall installation. Dispenses two rolls of toilet paper and 1,000 paper toilet seat covers.

Rough Wall Opening:  $16^{\circ} \times 29^{\frac{1}{4}^{\circ}} \times 4^{\frac{1}{4}^{\circ}}$  ( $405 \times 745 \times 110$ mm) Suggested Mounting Height:  $30^{\circ}$  from bottom of unit to floor; Barrier-Free.  $15^{\circ}$  (760 & 380mm)

Also Available:

#### 5364-SM Surface Mounted

Similar to 5364, but with stainless steel collar for surface



#### 5366

TECH DATA

#### Seat Cover & TP Dispenser with Sanitary Disposal, Dual Access

Mounts through partition. Both sides are usable but serviced from one side. Dispenses four rolls of toilet paper and 1,000 paper toilet seat covers.


**Partition Opening:**  $15^{1/2}$ " x  $28^{7/8}$ " (395 x 735mm)

Suggested Mounting Height: 30" from bottom of unit to floor (760mm)

Also Available:

#### 5366-HC Dual-Access HC

Similar to 5366, but one side mounts flush to partition of barrier-free side to



5367 TECH DATA

#### **TP Dispenser & Napkin Disposal**

For end-wall installation.

Dispenses two rolls of toilet paper.

**Wall Opening:** 16"  $\times$  18 \(^5/8\)  $\times$  4\(^1/4\) (405  $\times$  475  $\times$  110 mm) Suggested Mounting Height: 30" from bottom of unit to floor;

Barrier-Free, 15" (760 & 380 mm)

Also Available:

#### 5367-SM


#### **Surface Mounted**

Similar to 5367, but with stainless steel collar for surface mounting.

#### Suggested Mounting Height:

30" from bottom of unit to floor (760mm)





5310-SCR

(416 x 292 x 54mm)

**Chrome-Plated Steel** 

**Toilet Seat Cover Dispenser** 

Surface-mounted with capacity of

**Overall Size:**  $16\frac{3}{8}$ " x  $11\frac{1}{2}$ " x  $2\frac{1}{8}$ "

250 single or half-fold covers.

TECH DATA

## Toilet Seat Cover Dispensers

#### TECH DATA 5310 **Stainless Steel Toilet Seat Cover Dispenser**

Surface-mounted with capacity of 250 single or half-fold covers. Type 304 stainless steel; 22 gauge satin finish.

#### **Overall Size:**

15 <sup>3</sup>/<sub>4</sub>" x 11" x 1 <sup>7</sup>/<sub>8</sub>" (400 x 279 x 48mm)



## Dryers

#### **TECH DATA Push-Button Hand Dryer**

Surface-mounted dryer has maintenance-free brushless motor and a 10-year warranty. Air nozzle revolves 360°, providing easy hand and face drying. Die cast zinc alloy cover is white epoxy. Operates for 30 seconds. 110-120V.

**Overall Size:** 10 3/4" x 8" x 7" (273 x 203 x 178 mm)

#### TECH DATA 5369

#### TP Dispenser & Napkin Disposal, **Dual Access**

Mounts centered through partition usable by both sides but serviced from one side. Dispenses four rolls of toilet paper.

**Partition Opening:**  $15^{1/2}$ " X  $18^{1/4}$ " (395 x 465 mm)

Suggested Mounting Height: 25<sup>1</sup>/<sub>2</sub>" from bottom of unit to floor (650 mm)

Also Available:

#### 5369-HC


#### **Dual-Access HC**

Similar to 5369, but one side mounts flush to partition of barrier-free side to allow for grab bar. Both sides are usable but serviced from one side.

#### Suggested Mounting Height:

15" from bottom of unit to floor (380mm)





#### TECH DATA 5315


### Stainless Steel

#### **Recessed Toilet Seat Cover Dispenser**

Similar to 5310 but larger capacity and recess-mounted. Capacity 500 single or half-fold paper seat covers.

**Wall Opening:** 15 3/4" x 11" x 1 7/8" (400 x 279 x 48mm) Suggested Mounting Height: 48" from bottom of unit to floor; barrier-free, 32" (1220 x 815 mm)





#### TECH DATA 5951 **Sensor Hand Dryer**

Automatic drver activates when hands are placed under the air outlet sensor zone. Surface mounted dryer has ten-year warranty against defects in materials or workmanship. Cover is heavy-duty cast aluminum with white epoxy enamel. 115-240V.



Overall Size: 113/8" W x 117/32" H x 37/8" D (289 x 285 x 99mm)



## Toilet Paper Holders


### 351 TECH DATA

## Dual-Access Partition-Mounted Dual Roll TP Dispenser

Stainless steel type 304 cabinet and mechanism. Serves two toilet compartments. Dispenses four toilet paper rolls up to  $5\,^{1}/_{4}$ " diameter (135mm). Top roll drops in place when bottom roll is used up. Tumbler lock, theft resistant spindles. Adjustable to accommodate partitions from  $^{1}/_{2}$ " to  $1\,^{1}/_{4}$ " (13 to 32 mm).

Partition Opening: 11 7/8" x 12 1/4" (300 x 310 mm)





# 310 TECH DATA Surface-Mounted 2-Roll TP Dispenser

Stainless steel type 304 cabinet and mechanism. Dispenses two toilet paper rolls up to 5½ diameter (135mm). Top roll drops in place when bottom roll is used up. Tumbler lock, theft resistant spindles.

**Overall Size:** 6" x 12" x 6 \(^1/2\)" (152 x 300 x 165 mm)



# 320 TECH DATA Recess-Mounted 2-Roll TP Dispenser

Model 310 with stainless steel flange for recess mounting.

#### **Rough Wall Opening:**

 $6^{1/4}$ " x  $12^{1/4}$ " x  $3^{3/8}$ " (160 x 310 x 85 mm)





### 314 TECH DATA Surface-Mounted Ty

#### Surface-Mounted Twin 9" Jumbo Roll TP Dispenser

Type 304 stainless steel 18 gauge satin finish. Holds two 9" diameter rolls of  $2^{1}/_{4}$ " or 3" diameter core (57 or 76 mm). Panel slides to expose extra roll when needed; two viewling slots show rolls inside. Tumbler lock.

**Overall Size:**  $20^{13}/16^{11} \times 11^{3}/8^{11} \times 6^{3}/16^{11}$  (530 x 290 x 160 mm)



# 314-AR TECH DATA Surface Mounted Jumbo Roll Toilet Tissue Dispenser

Outer cabinet is satin finish type 304 stainless steel. Holds one roll up to 10" diameter (254mm) of 15%" or 25%" diameter core (41 or 57 mm). Tumbler lock and view slot.

**Overall Size:** 10 5/8" x 4 1/2" (270 x 115 mm)



## 360 TECH DATA Surface-Mounted Folded Toilet Tissue Cabinet

Stainless steel satin finish type 304 22 gauge. Holds 1,300 single or double fold toilet tissues. Tumbler lock and view slot.

**Overall Size:** 4 <sup>3</sup>/<sub>4</sub>" x 8 <sup>1</sup>/<sub>4</sub>" x 3" (120 x 210 x 76 mm)



#### **Aluminum TP Dispenser**

370 - Single Holder 371 - Double Holder

TECH DATA

Satin finished cast aluminum with ABS spindle. Controlled delivery rocking action restricts flow. Holds toilet paper roll(s) up to 6" diameter (150 mm). Theftresistant spring lock detachable by concealed release pin.

**370, 370-NC**:  $6\frac{9}{16}$ " x  $1\frac{3}{4}$ " x  $4\frac{3}{4}$ " **371, 371-NC**: 13" x  $1\frac{3}{4}$ " x  $4\frac{3}{4}$ "

#### 370-NC, 371-NC

Without controlled delivery.

#### 371-NCL

With tumbler lock to secure spindles; vandal-resistant.



#### Vandal-Resistant Hood 370-Hood - Single Size 371-Hood - Double Size

ZE TECH DATA
TECH DATA

Satin finish 14 gauge (2.1 mm) stainless steel hood for use only with 370 and 371 (toilet paper dispensers specified and purchased separately).

#### Overall Size:

**370-Hood:** 7 <sup>3</sup>/<sub>4</sub>"H x 7 <sup>1</sup>/<sub>4</sub>"W x 6 <sup>1</sup>/<sub>2</sub>"D (197 x 184 x 175 mm)

**371-Hood:**  $7^{3}/_{4}$ "H x 14  $^{1}/_{8}$ "W x 6  $^{1}/_{2}$ "D

(197 x 359 x 175 mm)



#### **Chrome-Plated Steel TP Dispenser**

372 - Single Holder 373 - Double Holder

TECH DATA

Chrome-plated steel. Spring prevents free spinning of paper. Holds standard or 1800 sheet toilet paper roll(s).

#### Overall Size:

**372:** 6" x 2 <sup>3</sup>/4" x 4 <sup>1</sup>/4" (152 x 70 x 198 mm) **373:** 12 <sup>3</sup>/8" x 2 <sup>3</sup>/4" x 4 <sup>1</sup>/4" (314 x 70 x 198 mm)





## Toilet Paper Holders **Recessed Stainless Steel**

817S - Dry Wall - Satin Finish

817B - Dry Wall - Bright Finish

Single TP Holder

818S - Wet Wall - Satin Finish

**TECH DATA** 

TECH DATA




Spring-loaded chrome roller. **Wall Opening:**  $5^{1}/2^{11} \times 5^{11}/2^{11} \times 2^{11} \times$ 

Not Shown:

8315 - Same as 817-S, but with surface mtg

**831B** - Same as 817-B, but with surface mtg



#### **Recessed Stainless Steel Double TP Holders**

819S - Dry Wall - Satin Finish

819B - Dry Wall - Bright Finish

**820S - Wet Wall** - Satin Finish

820B - Wet Wall - Bright Finish

TECH DATA

**TECH DATA** 

Type 304 stainless steel shell and flange of drawn, one-piece seamless construction. Spring-loaded chrome rollers.


Wall Opening: 11 3/4" X 5 1/4" X 2"

Not Shown:

8325 - Same as 819-S, but with surface mtg

**832B** - Same as 819-B, but with surface mtg





#### **Recessed Stainless Steel** Single TP Holder w/ Hood

817-HS - Dry Wall - Satin Finish 817-HB - Dry Wall - Bright Finish 818-HS - Wet Wall - Satin Finish 818-HB - Wet Wall - Bright Finish

Type 304 stainless steel shell and flange of

drawn, one-piece seamless construction. Spring-loaded chrome roller.


**Wall Opening:**  $5^{1/2}$ " X  $5^{1/2}$ " X 2" (140 x 51 mm)

Not Shown:

831-HS - Same as 817-HS, but with surface mtg

831-HB - Same as 817-HB, but with surface mtg





#### **Recessed Stainless Steel** Double TP Holder w/ Hood

819-HS - Dry Wall - Satin Finish 819-HB- Dry Wall - Bright Finish 820-HS - Wet Wall - Satin Finish 820-HB- Wet Wall - Bright Finish

Type 304 stainless steel shell and flange of drawn, one-piece seamless construction. Spring-loaded chrome rollers.


Wall Opening: 11 3/4" x 51/4" x 2"

Not Shown:

832-HS - Same as 819-HS, but with surface mtg

832-HB - Same as 819-HB, but with surface mtg





TECH DATA

#### **Recessed Stainless Steel** Single TP Holder with Extra Roll Storage

830-S Satin Finish 830-B Bright Finish

Face flange is type 304 stainless steel. Spring-loaded white poly roller. Holds rolls up to 5½" (130 mm) diameter (1500 sheets). Tissue is flush with wall.

**Wall Opening:**  $5\frac{1}{2}$ "  $\times 5\frac{1}{2}$ "  $\times 8\frac{1}{2}$ " (140 x 100 x 216 mm)


Not Shown:

Same as 830, but with shallow recess.

**Wall Opening:** 5<sup>1</sup>/<sub>2</sub>" X 5<sup>1</sup>/<sub>2</sub>" X 4" (140 x 140 x 102 mm)

**830-CS** - Satin Finish 830-CB - Bright Finish





#### **Zamac Accessories**

TECH DATA

For complete Zamac line, please see page 28.





#### Single Roll TP Holder TECH DATA

**801S** - Satin Finish, White Poly Roller 801B - Bright Finish, White Poly Roller

Options:

801S-CR - Satin Finish, Chrome Plated Poly Roller 801S-TR - Satin Finish, Tamper-Resistant Roller

801B-CR - Bright Finish, Chrome Plated Poly Roller 801B-TR - Bright Finish, Tamper-Resistant Roller



**Double Roll TP Holder** 

**802S** - Satin Finish, White Poly Roller

802B - Bright Finish, White Poly Roller

Options:

802S-CR - Satin Finish, Chrome Plated Poly Roller 802S-TR - Satin Finish, Tamper-Resistant Roller

802B-CR - Bright Finish, Chrome Plated Poly Roller


802B-TR - Bright Finish, Tamper-Resistant Roller



#### TECH DATA S5-18-AA **Shelf and Double TP Holder**

Satin finish type 304 stainless steel 18 gauge with seamless corners and burr-free edges. White poly rollers.

**Overall Size:** 18" x 5" (460 x 130 mm)



#### **Roller TM Theft-Resistant Spindle**

Molded plastic spindle has concealed locking feature. Add -TM to model number, or order RollerTM as a replacement part.



tainless steel type 304 Field-Safe accessories are vandal resistant because fasteners are concealed with a snap-lock flange. The unique patented fastening system does not use set screws which require periodic tightening, thereby reducing maintenance in the field. Because of its one-piece design, Field-Safe accessories can be installed in approximately 1/3 less time than is required for conventional, multi-piece set screw accessories. The 2" x 2" x 18 gauge (51 x 1.2 mm) square Field-Safe flange coordinates with TSM's FS-1 line of grab bars and shower rods for a unified washroom design. PATENTED

801 Single Roll TP Holder

8015 - Satin Finish.

White Poly Roller

801B - Bright Finish, White Poly Roller

**801S-CR** - Satin Finish, Chrome Poly Roller

801S-TR - Satin Finish, Tamper-Resistant Roller 801B-CR - Bright Finish, Chrome Poly Roller 801B-TR - Bright Finish, Tamper-Resistant Roller

TECH DATA

Toothbrush & **Tumbler Holder** 

8035 - Satin Finish 803B - Bright Finish

TECH DATA

Utility Hook TECH DATA

807S - Satin Finish

807B - Bright Finish



804S - Satin Finish

**Soap Dish** 

804B - Bright Finish

TECH DATA

**TECH DATA Towel Pin** 

808S - Satin Finish

808B - Bright Finish



#### 802 Double Roll **TP Holder**

8025 - Satin Finish, White Poly Roller

**802B** - Bright Finish, White Poly Roller

TECH DATA 802S-CR - Satin Finish, Chrome Poly Roller

802S-TR - Satin Finish, Tamper-Resistant Roller 802B-CR - Bright Finish, Chrome Poly Roller 802B-TR - Bright Finish, Tamper-Resistant Roller

#### Double Robe Hook TECH DATA

805S - Satin Finish

805B - Bright Finish



Coat & Hat TECH DATA

Hook

809S - Satin Finish

809B - Bright Finish



Single Robe Hook TECH DATA

806S - Satin Finish

806B - Bright Finish



Towel Ring TECH DATA

816S - Satin Finish

816B - Bright Finish



#### **Square Towel Bar**

TECH DATA

810S - Satin Finish 810B - Bright Finish Stainless steel tubing is 3/4" square x 20 gauge. 18", 24", 30" and 36" (457, 610, 762 & 914mm).



#### **Round Towel Bar**

TECH DATA

811S - Satin Finish 811B - Bright Finish St. steel tubing is  $\frac{3}{4}$ " round x 20 gauge (19 x .9 mm). 18", 24", 30" and 36" (457, 610, 762 & 914mm).



#### Soap Dish & Utility Bar

TECH DATA

**812S** - Satin Finish **812B** - Bright Finish Stainless steel tubing is 9" long x 3/4" square x 20 gauge (229 x 19 x .9 mm).



#### **Utility Shelf**

TECH DATA

813S - Satin Finish 813B - Bright Finish Shelf is 22 gauge stainless steel (19 x .9 mm). 18", 24" and 30" (457, 610 & 762 mm).



#### **Towel Shelf**

TECH DATA

814S - Satin Finish 814B - Bright Finish Four 5/16" x 22 gauge stainless steel square tubes are locked into posts (8 x .7 mm). 18", 24", 30" and 36" (457, 610, 762 & 914mm).



Towel Shelf with Drying Bar | TECH DATA |

815S - Satin Finish 815B - Bright Finish Same as 814 with 5/16" x 22 gauge stainless steel square tube drying bar locked into post projections (8 x .7 mm). 18", 24", 30" and 36" (457, 610, 762 & 914mm).



## Zamac Accessories

olished chrome-plated die cast Zamac accessories. Flanges attach to concealed heavy gauge steel mounting plate.

903 TECH DATA Toothbrush & **Tumbler Holder** 





#### Recessed Single TP Holder

917 - White Poly Roller 917-CR - Chrome Poly

Rough Wall: 51/4" x 51/4" x 21 (133 x 51mm)





904 TECH DATA Soap Dish

With drainage holes 905 TECH DATA

Single Robe Hook

Hook



906 TECH DATA

910 Towel Bar 18". 24". 30". 36



916 TECH DATA **Towel Ring** 



923 **Recessed Soap Dish** & Utility Bar Rough Wall: 51/4" x 51/4" x 15/8"

(133 x 41 mm)







## Security Mirrors

or correctional, psychiatric, school, park and service stations, TSM recommends security accessories. Satin and glass-blasted finishes provide easy maintenance. Units have continuous welding for tamper-resistance.

#### M-032-R Framed Security Mirror **Rear Mounting**

TECH DATA

Frame is satin finish type 304 14 gauge (2.1mm) stainless steel with corners welded and ground smooth. Unit has fiberboard backing and 6 "T" nuts welded on back for rear mounting. Specify if wall thickness is greater than 6" (50 mm).

**Overall Size:** 12" x 16" x 5/8" (305 x 405 x 16 mm)

Glazing Options:

M-032-R-B - Very good reflective quality. Type 304 20 gauge (.9mm) stainless steel, #8 polished finish.

M-032-R-BA - Good reflective quality. Type 430 stainless steel, bright annealed finish.



Not Shown.

### M-032-F

#### Framed Mirror Front Mounting

Frame is satin finish type 304 14 gauge (2.1mm) stainless steel with corners welded and ground smooth. Unit has TORX vandal-resistant 1/4"-20  $\times$  2" (50 mm) machine screws for front mounting.

**Overall Size:** 12" x 16" x 5/8" (305 x 405 x 16 mm)

Glazing Options:

M-032-F-B

- Very good reflective quality. Type 304 20 gauge (.9 mm) stainless steel, #8 polished

finish.

M-032-F-BA - Good reflective quality. Type 430 stainless steel, bright annealed finish.

#### M-30-F

#### **Integral Frame Mirror** with Rounded Corners Front Mounting

One piece #8 mirror polish finish type 304 18 gauge (1.2 mm) formed stainless steel. Unit is one-piece construction with rounded corners and six mounting holes.

**Overall Size:**  $12'' \times 16'' \times 1/4''$  (305 x 405 x 6 mm)

Not Shown:

**M-30-R** - Rear mounting; unit has 6 "T" nuts welded on back.



## Recessed Soap Dish

#### 828-D **Recessed Soap Dish Rear Mounting**


Type 304 16 gauge satin finish stainless steel (1.7 mm). One-piece drawn construction with beveled trim and embossments for air circulation and drainage Two "T" nuts welded on back for rear mounting.

#### Wall Opening:

 $6^{1/2}$ " x 5" wall thickness (165 x 130 mm)

Overall Size:

7<sup>3</sup>/<sub>8</sub>" x 6" (187 x 152mm)



## Security Toilet Paper Holders

#### 869-A **Recessed Square Toilet Paper Holder Rear Mounting**

Type 304 14 gauge stainless steel (2.1 mm). Exterior satin finish, interior glass-blasted satin finish. Interior depth 41/2" (115 mm) holds one standard toilet paper roll. Hidden contraband causes roll to project from holder, allowing detection. Two "T" nuts welded on back for rear mounting.

869-A Wall Opening: 51/2" diameter (140 mm) x wall thickness.

**Overall Size:** 7" x 7" (179 x 179mm)



Not Shown:

**869-C** - Same as 869-A without square flange.

Wall Opening: 6" (152mm) diameter.

#### 864 **Post Toilet Paper** Holder Front Mounting

Type 304 18 gauge satin finish stainless steel (1.2 mm), 1 1/4" O.D. (32 mm). R-3 flange is 3" diameter, 1/8" thick with three countersunk holes for front mounting (76 x 3 mm).

Overall Size: 41/2" x 33/4" projection (115 x 95 mm)



#### 865-P **Folded Toilet Tissue** Holder **Front Mounting**

Satin finish type 304 14gauge (2.1 mm) stainless steel. Open design for detection of contraband. Provided with 4 mounting holes for front mounting.

Overall Size:  $4^{3}/_{4}$ " x 9" x  $2^{3}/4$ " (120 x 230 x 70 mm)



