

Medicine Cabinets

5415 Surface-Mounted Baked Enamel Medicine Cabinet

TECH DATA

One-piece, drawn cold rolled steel with off-white baked enamel finish. Stainless steel framed mirrored door with 1/4" thick plate glass hung on continuous piano hinge closes by a magnetic catch. Two adjustable stainless steel shelves.

Overall Size:
14 1/4" x 20 1/4" x 4 3/4"
(360 x 515 x 120mm)




5418 Recessed Stainless Steel Medicine Cabinet

Cabinet is 22 gauge type 304 stainless steel. Four stainless steel shelves, adjustable height. Mirror 1/4" float plate glass.

Rough Wall Opening:
15 1/2" x 25 1/2" x 4" min. depth
(394 x 648 x 102 mm)

Not Shown: **TECH DATA**

5428 - Same as 5418, but surface mounted with three stainless steel adjustable shelves. 18 1/4" x 24 1/4" x 4 3/4"



Recessed Soap Dishes

Wet wall units include cement lug for embedding. Dry wall units include mounting clamp for stud walls.

821 822 Recessed Soap Dish

TECH DATA

TECH DATA

821S - Dry Wall - Satin Finish
821B - Dry Wall - Bright Finish
822S - Wet Wall - Satin Finish
822B - Wet Wall - Bright Finish

Stainless steel type 304.

Wall Opening: 5 1/2" x 5 1/2" x 2"
(140 x 140 x 50mm)

Overall Size: 6 1/4" x 6 1/4"
(160 x 160mm)



823 824 Recessed Soap Dish

TECH DATA

TECH DATA

823S - Dry Wall - Satin Finish
823B - Dry Wall - Bright Finish
824S - Wet Wall - Satin Finish
824B - Wet Wall - Bright Finish

Same as 821/822 with 3/4" round bar.

Wall Opening: 5 1/2" x 5 1/2" x 2"
(140 x 140 x 50mm)

Overall Size: 6 1/4" x 6 1/4"
(160 x 160mm)



827 Recessed Heavy Duty Stainless Steel Soap Dish & Bar

827-A - Dry Wall
827 - Wet Wall

Stainless steel type 304. Exterior bright polished; interior sand blasted finish.

Wall Opening: 6 1/8" W x 4 1/8" H
x 4" D (156 x 105 x 102mm)

Overall Size: 7 1/8" x 5"
(180x130mm)



828 Recessed Heavy Duty Stainless Steel Soap Dish

828-A - Dry Wall
828 - Wet Wall

Same as 827-A/827 without bar.

Wall Opening: 6 1/8" W x 4 1/8" H
x 4" D (156 x 105 x 102mm)

Overall Size: 7 1/8" x 5"
(180x130mm)



Hooks

Type 304 stainless steel unless otherwise noted. Security Hooks on page 37.

805 Double Robe Hook

TECH DATA

805S - Satin Finish
805B - Bright Finish



806 Single Robe Hook

TECH DATA

806S - Satin Finish
806B - Bright Finish



807 Utility Hook

TECH DATA

807S - Satin Finish
807B - Bright Finish



808 Towel Pin

TECH DATA

808S - Satin Finish
808B - Bright Finish



809 Hat & Coat Hook

TECH DATA

809S - Satin Finish
809B - Bright Finish



859 Clothes Hook

TECH DATA

Satin finish 11 gauge. Projects 1 1/4" from wall, 2 1/4" high (32 x 55 mm).



860 Coat & Bumper Hook

Rubber bumper protects wall surface. Chrome plated steel. 3" projection.



861 Heavy-Duty Robe Hook

TECH DATA

Concealed mounting satin chrome-plated brass, 3 1/4" projection.



862 Heavy-Duty Robe Hook

TECH DATA

Exposed mounting satin chrome-plated brass, 3 1/4" projection.



895 Hat & Coat Hook

TECH DATA

895S - Satin Finish
895B - Bright Finish



Stainless steel type 304 Field-Safe accessories are vandal resistant because fasteners are concealed with a snap-lock flange. The unique patented fastening system does not use set screws which require periodic tightening, thereby reducing maintenance in the field. Because of its one-piece design, Field-Safe accessories can be installed in approximately 1/3 less time than is required for conventional, multi-piece set screw accessories. The 2" x 2" x 18 gauge (51 x 1.2 mm) square Field-Safe flange coordinates with TSM's FS-1 line of grab bars and shower rods for a unified washroom design.

PATENTED

801 Single Roll TP Holder

- 801S** - Satin Finish, White Poly Roller
- 801B** - Bright Finish, White Poly Roller



ADA

TECH DATA

- 801S-CR** - Satin Finish, Chrome Poly Roller
- 801S-TR** - Satin Finish, Tamper-Resistant Roller
- 801B-CR** - Bright Finish, Chrome Poly Roller
- 801B-TR** - Bright Finish, Tamper-Resistant Roller

Toothbrush & Tumbler Holder

- 803S** - Satin Finish
- 803B** - Bright Finish

TECH DATA



Utility Hook

- 807S** - Satin Finish
- 807B** - Bright Finish

TECH DATA



Soap Dish

- 804S** - Satin Finish
- 804B** - Bright Finish

TECH DATA



Towel Pin

- 808S** - Satin Finish
- 808B** - Bright Finish

TECH DATA



802 Double Roll TP Holder

- 802S** - Satin Finish, White Poly Roller
- 802B** - Bright Finish, White Poly Roller



ADA

TECH DATA

- 802S-CR** - Satin Finish, Chrome Poly Roller
- 802S-TR** - Satin Finish, Tamper-Resistant Roller
- 802B-CR** - Bright Finish, Chrome Poly Roller
- 802B-TR** - Bright Finish, Tamper-Resistant Roller

Double Robe Hook

- 805S** - Satin Finish
- 805B** - Bright Finish

TECH DATA



Coat & Hat Hook

- 809S** - Satin Finish
- 809B** - Bright Finish

TECH DATA



Single Robe Hook

- 806S** - Satin Finish
- 806B** - Bright Finish

TECH DATA



Towel Ring

- 816S** - Satin Finish
- 816B** - Bright Finish

TECH DATA



Square Towel Bar

TECH DATA

- 810S** - Satin Finish **810B** - Bright Finish
- Stainless steel tubing is 3/4" square x 20 gauge. 18", 24", 30" and 36" (457, 610, 762 & 914mm).



Round Towel Bar

TECH DATA

- 811S** - Satin Finish **811B** - Bright Finish
- St. steel tubing is 3/4" round x 20 gauge (19 x .9 mm). 18", 24", 30" and 36" (457, 610, 762 & 914mm).



Soap Dish & Utility Bar

TECH DATA


- 812S** - Satin Finish **812B** - Bright Finish
- Stainless steel tubing is 9" long x 3/4" square x 20 gauge (229 x 19 x .9 mm).



Utility Shelf

TECH DATA


- 813S** - Satin Finish **813B** - Bright Finish
- Shelf is 22 gauge stainless steel (19 x .9 mm). 18", 24" and 30" (457, 610 & 762 mm).



Towel Shelf

TECH DATA


- 814S** - Satin Finish **814B** - Bright Finish
- Four 7/16" x 22 gauge stainless steel square tubes are locked into posts (8 x .7 mm). 18", 24", 30" and 36" (457, 610, 762 & 914mm).



Towel Shelf with Drying Bar

TECH DATA

- 815S** - Satin Finish **815B** - Bright Finish
- Same as 814 with 7/16" x 22 gauge stainless steel square tube drying bar locked into post projections (8 x .7 mm). 18", 24", 30" and 36" (457, 610, 762 & 914mm).



Zamac Accessories

Polished chrome-plated die cast Zamac accessories. Flanges attach to concealed heavy gauge steel mounting plate.

903 **TECH DATA**

Toothbrush & Tumbler Holder



Single TP Holder **TECH DATA**

- 900** - White Poly Roller
- 900-CR** - Chrome Poly



904 **TECH DATA**

Soap Dish

With drainage holes



910 Towel Bar 18", 24", 30", 36"

TECH DATA



905 **TECH DATA**

Double Robe Hook



906 **TECH DATA**

Single Robe Hook




916 **TECH DATA**

Towel Ring




Recessed Single TP Holder

- 917** - White Poly Roller
 - 917-CR** - Chrome Poly
- Rough Wall: 5 1/4" x 5 1/4" x 2" (133 x 51mm)



923 Recessed Soap Dish & Utility Bar

- Rough Wall: 5 1/4" x 5 1/4" x 1 5/8" (133 x 41mm)



Shelves & Custodial

Sturdy all-purpose S Series shelves are constructed of type 304 satin finish stainless steel, 18 gauge (1.2mm). Depth of 5", 6" or 8" (127,152 or 203mm).

TECH DATA

Standard Lengths		Custom sizes also available.	
16" (406mm)	20" (508mm)	30" (762mm)	42" (1067mm)
18" (457mm)	24" (610mm)	36" (914mm)	48" (1219mm)




TSM's workmanship assures smooth edges. Model numbers designate depth first, then length. For example, a 5" x 24" shelf is model S5-24.

842, 843, 844 **Hotel Towel Holders**

TECH DATA


Satin finish type 304 stainless steel 18 gauge. Holds two 1,800 sheet TP rolls.
Overall Size: 18" x 5" (460 x 130 mm).



842, 843, 844 **Hotel Towel Holders**

TECH DATA


Surface mounted chrome-plated 1/4" diameter wire.



842 2 Guest
843 3 Guest
844 4 Guest

845 **Recessed Shelf**

Type 304 22 gauge satin finish stainless steel, welded construction (.7 mm).
Wall Opening: 16 1/2" x 6 1/2" x 4 1/4" wall thickness (420 x 165 x 110 mm).



846 **Folding Utility Shelf for Toilet Compartment**

Returns to upright position when not in use. Satin finish 18 gauge type 304 stainless steel with raised rim.

Overall Size: 14 5/8" x 5 13/16" (372 x 148 mm)



859 **Clothes Hook**

Satin finish 11 gauge type 304 stainless steel. Projects 1 1/4" from wall, 2 1/4" high (32 x 55mm).



860 **Coat & Bumper Hook**

Rubber bumper protects wall surface. Chrome plated, 3" projection (76mm).



860D **Door Bumper**

Chrome plated. Projects 1 7/8". Flange diameter 2 3/16" (50 & 55mm).



861 **Heavy-Duty Robe Hook**

Concealed mounting satin chrome-plated brass, 3 1/4" projection.



862 **Heavy-Duty Robe Hook**

Same as 861 with exposed mounting.



868S **Surface-Mounted Facial Tissue Dispenser**

Cabinet type 304 stainless steel, satin finish. Dispenses 300 single or 150 two-ply sheets. 11" x 6" x 2 1/4" (280 x 152 x 55 mm).



870-Q **Bottle Opener**

870-QB - Bright Finish
870-QS - Satin Finish

One piece, 16 gauge type 304 stainless steel. Projects 1 1/16" from wall (27mm), 2" wide x 2 1/4" high (50 x 55mm).



871 **Retractable Clothesline**

Surface mounted bright stainless steel with 6' vinyl cord (1829mm).



873, 874 **Recessed Facial Tissue Dispenser**

Cabinet type 304 stainless steel. 873 Dispenses 300 single or 150 two-ply sheets. 874 dispenses 600 single or 300 two-ply sheets.

873S - 2" Deep - Satin Finish
873B - 2" Deep - Bright Finish

874S - 4" Deep - Satin Finish
874B - 4" Deep - Bright Finish

TECH DATA


TECH DATA

Wall Opening: 11 3/8" x 5 1/8" with 2 1/8" depth for 873 and 4 1/8" depth for 874.



891 **Utility Shelf**

Shelf holds custodial supplies as well as providing drying bar, hooks and holders for wet brooms and rags. Satin finish type 304 stainless steel 18 gauge. Depth 8".



Standard Lengths

30" - 2 hooks, 3 holders 42" - 4 hooks, 5 holders
36" - 3 hooks, 4 holders 48" - 5 hooks, 6 holders

892 **Mop and Broom Holder**

Satin finish type 304 stainless steel 18 gauge.

Standard Lengths

24" - 3 holders 48" - 5 holders
36" - 4 holders 60" - 6 holders



893 **Utility Hook Strip**

Satin finish type 304 stainless steel 18 gauge x 3" strip; hooks are 12 gauge.

Standard Lengths

24" - 3 hooks 48" - 5 hooks
36" - 4 hooks 60" - 6 hooks



894 **Shelf with Hook & Mop Holder Strip**

Satin finish type 304 stainless steel 18 gauge. Hooks are 12 gauge (2.8 mm).

Standard Lengths

34" - 4 hooks, 3 mop holders
44" - 5 hooks, 4 mop holders



895 **Hat & Coat Hook**

Satin finish 12 gauge type 304 stainless steel (2.8mm), formed construction.



Security Grab Bars

Security grab bars are designed to prevent suicides and therefore are recommended for prisons and psychiatric facilities. The grab bars are theft-resistant and cannot be removed from the wall easily and then used as a weapon. The tubing is welded at a 7° angled slope so that any material thrown around the bar will tend to slide off. Type 304 stainless steel satin finish 16 gauge tubing is available in 1 1/4" or 1 1/2" (32 or 38mm). 16 gauge sheet (1.7mm) extends from underside of the grab bar to the wall, welded on three sides.

867 Security Grab Bar In-Wall

TECH DATA

Designed for new construction. Bar is welded to 8 gauge back plate (4.2mm) which is welded or bolted to building studs.

Lengths: 24", 36" and 42" (610, 914 & 1067mm).

Q-867 - 1 1/4" O.D.

H-867 - 1 1/2" O.D.



867/R-3 Security Grab Bar Surface Mounting

Tubing is welded to round 8 gauge R-3 flanges (4.2mm). One-way screws available from manufacturer (order separately).

Lengths: 24", 36" and 42" (610, 914 & 1067mm).

Q-867/R-3 - 1 1/4" O.D.

H-867/R-3 - 1 1/2" O.D.



867-Z Security Grab Bar Rear Mounting

Tubing is welded to round 8 gauge R-3 flanges (4.2mm); each flange has three 1/4"-20 x 6" long threaded rods.

Lengths: 24", 36" and 42" (610, 914 & 1067mm).

Q-867-Z - 1 1/4" O.D.

H-867-Z - 1 1/2" O.D.



Security Shelves & Hooks

845-A Recessed Shelf Rear Mounting

Satin finish 16 gauge (1.7 mm) type 304 stainless steel; interior glass-blasted satin finish. Corners welded and ground smooth; beveled trim 1" wide (25mm). Four studs welded on back for rear mounting.

Wall Opening: 16 1/2" x 5 1/2" (420 x 140mm) x wall thickness



866-AF Square Security Clothes Hook Front Mounting

TECH DATA

When excessively loaded, hook will snap down for safety. Satin finish 12 gauge (2.8 mm) type 304 stainless steel. Back plate is 14 gauge stainless steel (2.1 mm) with four holes for front mounting.

Overall Size: 4 1/4" x 4 1/4" x 2 1/8" (110 x 55mm)

Not Shown:

866-AR Rear Mounting

Same as 866-AR, but four studs welded on back for rear mounting.

TECH DATA



866-CF Security Clothes Hook Front Mounting

When excessively loaded, hook will snap down for safety. Satin finish type 304 stainless steel. Bracket is 11 gauge (3.1 mm) and hook is 7 gauge (1.1 mm). Unit has four holes through flange for front mounting.

Overall Size: 4" x 5" x 3 1/16" (75 x 130 x 80mm)

Not Shown:

866-CR Rear Mounting

Same as 866-CF, but has four studs welded to back for rear mounting.




896-18 Clothes/Towel Hook Strip Front Mounting

TECH DATA

When excessively loaded, hook(s) will snap down for safety. Satin finish type 304 stainless steel. Wall plate is 14 gauge (2.1 mm) with beveled edges; brackets are 11 gauge (3.1 mm); four hooks are 7 gauge (1.1 mm). Unit has six mounting holes through back for front mounting.

Overall Size: 18" Long x 5 1/2" High x 3 1/8" Projection (460 x 140 x 80mm)



896-H-18 Bookshelf/Clothes Hook Strip Front Mounting

When excessively loaded, hook(s) will snap down for safety. Satin finish type 304 stainless steel. Bookshelf and back plate are 14 gauge (2.1 mm); brackets are 11 gauge (3.1 mm); four hooks are 7 gauge (1.1 mm). Unit has six mounting holes through back for front mounting.

Overall Size: 18" Long x 11" High x 8" Deep (460 x 280 x 200mm)



897-18 Clothes/Towel Hook Strip Front Mounting

TECH DATA

When excessively loaded, hook(s) will snap down for safety. Satin finish type 304 stainless steel; four hooks are 12 gauge (2.8 mm). Back plate is 14 gauge (2.1 mm). Unit has six mounting holes through back for front mounting.

Overall Size: 18" Long x 5 1/2" High x 2 1/8" Projection (460 x 140 x 55mm)



897-H-18 Bookshelf/Clothes Hook Strip Front Mounting

When excessively loaded, hook(s) will snap down for safety. Satin finish type 304 stainless steel with seams welded and ground smooth. Shelf and back plate are 14 gauge (2.1 mm); four hooks are 12 gauge (2.8 mm). Unit has six mounting holes through back for front mounting.

Overall Size: 18" Long x 11" High x 8" Deep (460 x 280 x 200mm)

